

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. **(Currently Amended)** A binary decision diagram package comprising:  
an arrangement for identifying at least two nodes in a graph;  
said identifying arrangement being adapted to assign integer numbers to different nodes, whereby the use of pointers is precluded and ~~at least a partial~~ an order among the nodes is maintained.
2. **(Original)** The package according to Claim 1, wherein said identifying arrangement is adapted to assign consecutive integer numbers to different nodes.
3. **(Original)** The package according to Claim 1, wherein said identifying arrangement is adapted to assign to a given node an integer number which coincides with an index in a memory array in which the node resides.
4. **(Original)** The package according to Claim 1, wherein said identifying arrangement is adapted to access an indexed node via a paging access scheme.
5. **(Original)** The package according to Claim 4, wherein said identifying arrangement is adapted to access an indexed node via a two-step paging access scheme.

Atty. Docket No. YOR920010266US2  
(590.071)

6. (Original) The package according to Claim 1, wherein said identifying arrangement is adapted to avoid the use of reference counts.

7. (Original) The package according to Claim 1, wherein the graph is a directed acyclic graph.

8. (Currently Amended) A method of employing a binary decision diagram package, said method comprising the steps of:

identifying at least two nodes in a graph;

said identifying step comprising assigning integer numbers to different nodes, whereby the use of pointers is precluded and ~~at least a partial an~~ order among the nodes is maintained.

9. (Original) The method according to Claim 8, wherein said assigning step comprises assigning consecutive integer numbers to different nodes.

10. (Original) The method according to Claim 8, wherein said assigning step comprises assigning to a given node an integer number which coincides with an index in a memory array in which the node resides.

11. (Original) The method according to Claim 8, wherein said identifying step comprises accessing an indexed node via a paging access scheme.

12. (Original) The method according to Claim 11, wherein said accessing step comprises accessing an indexed node via a two-step paging access scheme.

Atty. Docket No. YOR920010266US2  
(590.071)

13. (Previously Presented) The method according to Claim 78, wherein said identifying step includes avoiding the use of reference counts.

14. (Previously Presented) The method according to Claim 78, wherein the graph is a directed acyclic graph.

15. (Currently Amended) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for employing a binary decision diagram package, said method comprising the steps of:

identifying at least two nodes in a graph;

said identifying step comprising assigning integer numbers to different nodes, whereby the use of pointers is precluded and ~~at least a partial~~ an order among the nodes is maintained.